collect debts payable in respect of the estate of Subba Rao, deceased, resident of Keelambi.

Notice is hereby given of the said application and all claimants in the estate of the said Subba Rao, deceased, are invited to appear in this Court, on Friday the 12th day of March 1937, when the petition of the said applicants will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 15th day of February, 1937.

S. V. RANGA RAO KADOM,
Munsiff.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 18th February 1937 published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts ..	.. 20,00,000	By Cash in hand and at Bankers ..	23,82,063
„ Reserve Fund ..	.. 25,00,000	„ Loans and Cash Credit Accounts	1,61,15,223
„ Public and other Deposits	..2,34,05,307	„ Bills discounted	5,74,847
„ Sundries ..	.. 1,72,432	„ Investments	82,04,018
		„ Balance at Agencies	..
		„ Dead Stock	7,28,959
		„ Sundries	72,629
Total	.. 2,80,77,739	Total	..2,80,77,739

(Annas and pies omitted.)

BANGALORE,
Dated 23rd February 1937.

T. M. S. SUBRAMANIAM,
Ag. Manager.

"I intend moving the Hon'ble the High Court of Mysore, to enrol me as an Advocate thereof." thereof."

G. CHENNARAYA REDDY, B.A., LL.B.

"I intend moving the Honourable the High Court of Mysore to enrol me as an Advocate.

B. R. RAGHUNATH RAO, M.A., LL.B."

"I intend moving the Hon'ble the High Court of Mysore to enrol me as an Advocate.

B. RAMA RAO, B.A., B.L."

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 15290-329, *dated* 15*th February* 1937.

To

The Firms dealing in Hardware Materials.

Enquiry No. 2162.

HARDWARE MATERIALS REQUIRED DURING THE CALENDAR YEAR 1937.

GENTLEMEN,

I write to request you to be so good as to intimate your best prices for the articles described in the undermentioned schedule for delivery at the stations noted below :—

(1) Bangalore.	(5) Belagola	(9) Hassan.
(2) Maddur.	(6) Tumkur.	(10) Shimoga.
(3) Mandya.	(7) Kadur.	(11) Chitaldrug.
(4) Mysore.	(8) Kolar.	

2. It is not possible to give any idea as to the quantities required during the year 1937. The quantities required from time to time by the Indenting Officers will be required to be supplied on Indents.

3. The prices quoted should hold good till the end of December 1937 and no applications for enhanced prices will be considered during the period of contract.

4. Details of sizes offered together with the respective prices should be furnished.

5. The makes of materials whether English, Continental or American, etc., should be specified against the items.

6. Agreements should be entered into, undertaking to abide by the conditions of contract, furnishing security deposits to be stipulated later on after contracts are let.

Please submit your quotation so as to reach this office on or before the 1st of March 1937.

1. G. I. Pipes of sizes ¼″ to 4″
2. W. I. do ¼″ to 4″.
3. Gland cocks, G. M. Heavy quality of sizes from ½″ to 4″.
4. Wheel valves do
5. Foot valves 1″ to 6″.
6. A. Reflex valves G. M. 1½″ to 3″.
6 (a). Push cocks C. I. ½″ to 1″.
7. Flanges G. I. ½″ to 4″.
8. Brass Rods of sizes.
9. Copper Rods of sizes.
10. Muntz metal.
11. Die sets, Little Giant, complete set ¼″ to 3″.
12. Bolts and nuts of sizes.
13. Spare nuts do
14. Wire nails of sizes.
15. Iron rivets of sizes.
16. M. S. Snapped rivets of sizes.
17. Navganic chain.
18. Expanded metal ½″ to 3″ mesh.
19. Gun metal rods ¼″ to 2″.
20. Brass sheets.
21. Copper sheets.
22. Bench Vice.
23. Spare taps—Little Gaint ¼″ to 3″.
24. Masons Square.
25. Sledge hammers 2 to 20 lbs.
26. Bail Hammers 14 to 18 lbs.
27. Wedges of sizes.
28. Crow bars 1″ and 1¼″ 5 ft. and 6 ft. long.
29. Binding wire of sizes.
30. G. I. wire of sizes.
31. Sledge Hammer handles 12″ to 30″.
32. Double Ended Spanners of size ¼″ to 1″.
33. Carpenters Chisels, fish mark ¼″ to 2″.
34. G. I. pots (24 to 26 gauge).
35. Stilson wrenches 8″ to 36″.
36. Screw Spanners 6″ to 18″.
37. Drop Forged D. E. Spanners Set, consisting of sizes (from ⅛″ to 1″).
38. Monkey spanners.
39. Girder Spanners.
40. Crucibles ranging from No. 2 to 120.
41. Rods Iron of sizes from 2¾″ to 8″.
42. M. S. sq. Bar do do
43. M. S. sq. Bar do 1/16″ to ¾″.
44. G. I. Sheets corrugated 14 to 26 gauge.
45. Do plain do
46. M. S. Angles 5″×5″×½″.
47. Do 5″×5″×⅜″.
48. Do 6″×6″×½″.
49. M. S. Flats of sizes.
50. M. S. Tees of sizes.
51. M. S. Channels of sizes.
52. Girders of different sections.
53. Barbed fencing wire in rolls of 1 cwt.
54. Lead Wool.
55. Oil Cans copper.
56. Do tin.
57. Twist Drills of sizes.
58. Rubber insertions.
59. Asbestos cement sheets plain.
60. Do do corrugated.

61. Diamond packing of sizes from $\frac{1}{8}$" to 1".
62. Eng. Hydraulic leather $\frac{1}{4}" \times \frac{1}{2}"$.
63. Chrome leather.
64. Emery cloth.
65. Sand paper.
66. Asbestos Rope.
67. Absestos Tape of sizes.
68. Manilla Rope of sizes.
69. Myers leather Buckets of sizes from $1\frac{1}{4}$" to 5".
70. Rubber hose pipes of sizes from $\frac{1}{2}$" to $1\frac{1}{2}$".
71. Steam Pressure Elbous—Collars—Reducers—Bends.

No. S. P. C. 15586-600, *daled 22nd February* 1937.

To

The Firms dealing in Earth borers.

Enquiry No. 2170.

EARTH BORERS REQUIRED FOR BORING BOREHOLE LATRINES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for earth borders" with the above enquiry Number.

This enquiry will be closed on the 12th March 1937.

Schedule.

Item No:	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Earth borers of 16" size made of 3/16" auger blades of 16" diameter with yoke and strap piece for assembling	24	Bangalore.	

N.B.—The name of the manufacturers should be specified.

No. S. P. C. 15601-15, *daled 22nd February* 1937.

To

The Firms dealing in P. S. Tanks.

Enquiry No. 2171.

P. S. TANK WITH STAGING FOR HOSKOTE WATER SUPPLY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the

value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for P. S. Tank with Staging for Hoskote Water Supply" with the above enquiry Number.

This enquiry will be closed on the 20th March 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	*P. S. Tank* (16′×12′×8′) *of* 10,000 *gallons capacity & M. S. Staging* 20 *ft. high of the following specification*		White-field Railway Station-Madras-Bangalore line.	
	The tank should be of 10,000 gallons capacity formed of pressed steel plates of 4′×4′ on sides and bottom. The size of the tank may be 16′×12′×8′ as per standard size. The top of the tank should be provided with flat M. S. plates 1/8″ thick, with roof support tees, angle bracings, bolts and nuts complete. All the tank interior bracings, jointing materials and tools should be provided and supplied. The top should consist of a circular manhole with cover and locking arrangements for getting into the tank from the top, a float and indicator board arrangement should also be supplied to show the water level in the tank. An inside ladder also should be supplied for the tank.			
	A suitable structure for the above tank 20′ high with all bracings, cleats, bolts and nuts, with stanchions fixed with bed plates, foundation bolts, etc., complete should be supplied, with tank support girders complete.			
	An outside ladder with hand rail to reach the top of the tank also to be supplied provided with necessary bolts and nuts and other fixtures.			
	Two sets of correct working drawings with complete dimensions of all the parts should be sent to facilitate erection.			
	The tank and the staging should be painted with a coat of Red-oxide-paint before despatch.	One		

No. S. P. C. 15616-30, *dated* 22*nd February* 1937.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2172.

ELECTRIC PUMPING SET FOR HOSKOTE WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices, F.O.R., White-field and the earliest time of delivery for the materials described below :—

Electric Pumping Set according to the following specification .. .. .. One

Centrifugal Pump.—The centrifugal pump should have a capacity of lifting 80 gallons per minute of fairly pure water against a total head of 140 feet from all causes. The pump casing should be made of close grained cast iron and preferably split horizontally. The pump shaft must be of the best quality of Siemen Martin steel and fitted with phosphor bronze impeller and mounted on ball or roller bearings. The sleeves, bushes and guide vanes should also be of phosphor bronze.

Electric Motor.—A suitable motor capable of directly driving the above pump, under full load conditions continuously throughout 24 hours without getting heated unduly. The motor must be capable of running on 220 volts, 25 cycles, 3 phase, A.C. system of electric service. The motor must have ample overload capacity from 15 to 20 per cent. It must be supplied with a suitable starter.

The motor and pump must be directly coupled and fitted on a common cast iron baseplate. Quotation may be given for supplying the following extras :—

1. One foot valve and strainer.
2. One delivery sluice valve.
3. One non-return valve.
4. One ammeter having a range of 0 to 30 amps.

It should be distinctly undertsood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Pumping Set for Hoskote Water Supply", with the above enquiry number.

This enquiry will be closed on the 30th March 1937.

No. S. P. C. 15697-716, *dated 22nd February* 1937.

To

The Firms dealing in Oil Engine Pumping Sets.

Enquiry No. 2173.

OIL ENGINE PUMPING SET FOR BYRAPUR CHROME MINES.

GENTLEMEN,

Please be good enough to tintimate your best prices, F.O.R., Tiptur and the earliest time of delivery for the materials described below :—

1. Verticle Diesel Engine with 20 H.P. capacity and cold starting by hand (with suitable small fly wheel) .. .. One.
2. Centrifugal two stage pump capable of lifting 10,000 gallons per hour against 400 ft. head and worked by the above oil engine .. .. .. One.
3. Spare glands for the pump .. .. One set.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Oil Engine Pumping Set for Byrapur Chrome Mine", with the above enquiry number.

This enquiry will be closed on the 18th of March 1937.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.